

HEXAGONAL NAVE LANTERN

No.	Extreme Diameter	Lantern Length	Lights
7054	20 in.	58 in.	7
7055	24 in.	67 in.	7
7056	28 in.	76 in.	7

Standard Length, 18 ft. Over All.

Church Lighting

Modern church lighting equipment should embrace both built-in "light for seeing" principles and ecclesiastical design embodying the spirit and architecture of the church, creating an atmosphere of restful comfort and meditation.

While the designs shown are characteristically suited to the various types of American churches, they are only indicative of the scope of our leadership. We have in our files thousands of individual sketches to suit any unusual problem in church lighting, showing a creative dignity of design and perfection of craftsmanship.

The Novelty Lighting Corporation has specialized in ecclesiastical lighting over a period of thirty years. . . . . .

CATALOG No. 53

THE NOVELTY LIGHTING CORPORATION

DESIGNERS AND MANUFACTURERS

2480 EAST TWENTY-SECOND STREET - - CLEVELAND, OHIO, U. S. A.

An interesting adaptation of the English Gothic design shown on this and opposite page. Good diffusion—low brightness.



PENDANT TYPE

No.	Diameter	Length Over All	Lights
7059	20 in.	10 ft.	5

1 6-in. Globe, 150 Watts Maximum.
4 4-in. Globes, 60 Watts Maximum.



No. 7016 CEILING TYPE

Diameter, 10½ in.
Height Over All, 13½ in.
Lights, 2.
Glass: 10-in. Opal Bowl.



No. 7020 CEILING TYPE

Diameter, 10½ in.
Height Over All, 9 in.
Lights, 2.
Glass: 10-in. Opal Bowl.



No. 7060 BRACKET

Extension Over All, 9 in.
Height Over All, 20 in.
Lights, 1.
Glass: 5 in. Opal Globe.

OPTIONAL FINISHES: SEE SPECIFICATIONS PAGE 16



No. 7013 PENDANT TYPE

Diameter, 7 in.
Length Over All, 7 ft.
Lights, 1.
Glass: 6 in. Opal Globe.



PENDANT TYPE

No.	Diameter	Length Over All	Lights
7058	36 in.	12 ft.	7

1 10-in. Opal Globe, 200 Watts Maximum
6 5-in. Opal Globes, 75 Watts Maximum



No. 7017 PENDANT TYPE

Diameter, 10½ in.
Length Over All, 6 ft.
Lights, 2.
Glass: 10 in. Opal Bowl.

CREAM COLORED
GLASSWARE
CAN BE FURNISHED.

PRICES
ON APPLICATION.

OPTIONAL FINISHES: SEE SPECIFICATIONS PAGE 16

Demonstrating the possibilities of slender lantern types in long narrow auditoriums.
Illustrating our No. 7044 shown below.



No. 7005 POCKET LANTERN

Body Diameter, 7 in.
Height Over All, 13 in.
Extension, 3¾ in.
Lights, 1.



No. 7002 HEX. PENDANT LANTERN

Body Diameter, 10 in.
Body Length, 22 in.
Length Over All, 6 ft.
Lights, 1.



No. 7003 HEX. CEILING LANTERN

Body Diameter, 12 in.
Height Over All, 16 in.
Lights, 1.



HEX. PENDANT LANTERN

No.	Body Diameter	Body Length	Length Over All	Lights
7044	12 in.	34 in.	10 ft.	4
7045	14 in.	40 in.	10 ft.	4
7046	16 in.	44 in.	10 ft.	4



No. 7006 HEX. CEILING LANTERN

Body Diameter, 8 in.
Height Over All, 13 in.
Lights, 1.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16



No. 7004 HEX. PENDANT BASKET

Body Diameter, 14 in.
Length Over All, 6 ft.
Lights, 3.



No. 7001 HEX. CEILING TYPE

Body Diameter, 14 in.
Height, 10 in.
Lights, 2.



No. 7022 BEAM LIGHT

Diameter Over All, 7 in.
Height, 4½ in.
Lights, 1.



No. 7009 HEX. PENDANT LANTERN

Body Diameter, 12 in.
Extreme Diameter, 24 in.
Body Height, 34½ in.
Length Over All, 18 ft.
Lights, 7.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16

Well designed lanterns, harmonizing with the church architecture, do much to create the proper ecclesiastical atmosphere.



HEX. PENDANT TYPE

No.	Body Diameter	Body Length	Length Over All	Lights
7064	8 in.	18 in.	6 ft.	1
7065	10 in.	22½ in.	6 ft.	1



HEX. CEILING TYPE

No.	Body Diameter	Top Diameter	Length Over All	Lights
7066	8 in.	9½ in.	11 in.	1
7067	10 in.	12 in.	13¾ in.	1





HEX. CEILING AND PENDANT TYPE

No.	Type	Body Diameter	Length Over All	Lights
7061	Pendant	15½ in.	4 ft.	3
7062	Ceiling	15½ in.	18 in.	3

HEX. PENDANT TYPE

No.	Body Diameter	Body Length	Length Over All	Lights	Reflector Wattage
7070	12 in.	33½ in.	10 ft.	4	200
7071	14 in.	39 in.	10 ft.	4	300-500
7072	16 in.	45 in.	10 ft.	4	300-500

Equipped with Opal Glass Reflector and Concentric Louvres for down light.

See Price List for Mirror Glass Reflector.



No. 7068 POCKET LANTERN

Body Diameter, 7 in.
Height Over All, 17 in.
Extension, 4¼ in.
Lights, 1.



HEX. CEILING TYPE

No.	Diameter	Top Diameter	Length Over All	Lights
7163	12 in.	13 in.	8 in.	2
7164	14 in.	15 in.	9¼ in.	2
7165	16 in.	17 in.	10¾ in.	3



HEX. PENDANT TYPE

No.	Body Diameter	Length Over All	Lights
7168	8 in.	48 in.	1
7169	10 in.	48 in.	1



HEX. PENDANT TYPE

No.	Body Diameter	Body Length	Length Over All	Lights	Reflector Wattage
7170	12 in.	32 in.	10 ft.	4	200
7171	14 in.	37 in.	10 ft.	4	300-500
7172	16 in.	42½ in.	10 ft.	4	300-500

Equipped with Opal Glass Reflector and Concentric Louvres for Down Light.

See Price List for Mirror Glass Reflector.



HEX. CEILING AND PENDANT TYPE

No.	Type	Body Diameter	Length Over All	Lights
7161	Pendant	15½ in.	4 ft.	3
7162	Ceiling	15½ in.	18 in.	3



No. 7121 HEX. CEILING TYPE

Diameter, 8 in.
Length Over All, 5 in.
Lights, 1.



No. 5125 CANDLE BRACKET

Spread Over All, 14½ in.
Extension Over All, 5 in.
Length Over All, 13 in.
Wall Plate, 3½ in. x 9½ in.
Lights, 3.



Illustrating method of lamping Nos. 7070 and 7170. Utilizing reflector with concentric louvres for down light.



No. 7166 WALL POCKET

Body Diameter, 5 in.
Extension Over All, 3½ in.
Length Over All, 12½ in.
Lights, 1.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16

Romanesque Design Shown on Page 7.



No. 7102 HEX. PENDANT TYPE

Body Diameter, 10 in.
Body Length, 22 in.
Length Over All, 6 ft.
Lights, 1.



No. 7103 HEX. CEILING TYPE

Body Diameter, 12 in.
Height Over All, 16 in.
Lights, 1.



HEX. PENDANT TYPE

No.	Body Diameter	Body Length	Length Over All	Lights
7144	12 in.	34 in.	10 ft.	4
7145	14 in.	40 in.	10 ft.	4
7146	16 in.	44 in.	10 ft.	4

Note—Method of Lamping Shown on Page 9.



No. 7105 POCKET TYPE

Body Diameter, 7 in.
Extension, 3¾ in.
Length Over All, 13 in.
Lights, 1.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16



No. 7104 HEX. PENDANT BASKET

Body Diameter, 14 in.
Length Over All, 6 ft.
Lights, 3.



Illustrating Method of Lamp Arrangements for Nos. 7108 and 7144.



No. 7106 HEX. CEILING TYPE

Body Diameter, 8 in.
Height Over All, 13 in.
Lights, 1.



No. 7101 HEX. CEILING TYPE

Body Diameter, 14 in.
Height Over All, 10 in.
Lights, 2.



No. 7108 HEX. PENDANT TYPE

Body Diameter, 12 in.
Extreme Diameter, 21 in.
Body Length, 34 in.
Length Over All, 10 ft.
Lights, 10.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16



No. 6039 PENDANT RING TYPE

Spread Over All, 27 in.
Length Over All, 6 ft.
Lights, 8.
Finish: Forged Steel and Bronze.



No. 6040 CANDLE BRACKET

Spread, 15 in.
Wall Plate, 6 in. x 6 in.
Lights, 3.
Finish: Forged Steel and Bronze.



No. 6027 BRACKET

Spread, 13 in.
Wall Plate Diameter, 5 in.
Lights, 2.
Glass: Clear Design on Frosted Chimney.
Finish: Colonial Brass.



No. 6032 PENDANT RING TYPE

Spread Over All, 30 in.
Length Over All, 6 ft.
Lights, 8.
Glass: Clear Design on Frosted Chimney.
Finish: Colonial Brass.

OPTIONAL FINISHES: SEE SPECIFICATIONS PAGE 16



HEX. PENDANT TYPE

No.	Body Diameter	Length Over All	Lights
7724	8 in.	3 ft.	1
7725	10 in.	3 ft.	1

Glass Bottom.



HEX. PENDANT TYPE

No.	Body Diameter	Length Over All	Lights
7721	12 in.	10 ft.	3
7722	14 in.	10 ft.	3
7723	16 in.	10 ft.	6

Open Bottom.



HEX. CEILING TYPE

No.	Body Diameter	Depth	Lights
7728	12 in.	4 1/2 in.	2
7729	14 in.	5 1/4 in.	2

Glass Bottom.



No. 7736 WALL POCKET

Back Plate, 5 in. x 13 in.
Extension, 3 1/2 in.
Lights, 1.
Metal Bottom.



No. 7726 HEX. CEILING TYPE

Body Diameter, 8 in.
Length Over All, 10 in.
Lights, 1.
Glass Bottom.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16



No. 5035 CYLINDER PENDANT

Spread, 13 in.
Length Over All, 36 in.
Lights, 2.



No. 5130 NAVE BRACKET ONLY

Back Plate, 4½ in. x 11 in.
Height Over All, 24 in.
Extension, 41 in.



No. 5047 CYLINDER BRACKET

Extension Over All, 8 in.
Length Over All, 12 in.
Wall Plate, 3½ in. x 9½ in.
Lights, 1.



HEX. PENDANT TYPE

No.	Body Diam.	Spread Over All	Length Over All	Lights
7074	8 in.	11 in.	48 in.	1
7075	10 in.	13 in.	48 in.	1



CYLINDER PENDANT TYPE

No.	Extreme Diameter	Height	Length Over All	Glass Cylinder
7041	13 in.	39 in.	8 ft.	10 in. x 22 in.
7042	15 in.	48 in.	8 ft.	12 in. x 26 in.

Arranged for 3 Lights.
Glass Bottom.



EXTERIOR CYLINDER BRACKET

No.	Body Diam.	Extension Over All	Length Over All	Lights
5050	6½ in.	10 in.	28 in.	1
5051	8½ in.	14 in.	34 in.	1

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16



No. 7030 CANDELABRA

Spread, 18 in.
Height Over All, 37½ in.
Lights, 7. Intermediate Base Sockets.
Finish: Burnished Gold.



No. 7036 ADJUSTABLE PULPIT LIGHT

Spread, 9 in.
Reflector Rotates on Lamp Socket.
Complete with 6 ft. Cord, Push Socket and Plug.
Base, 2¼ in. Square, Attached with 4 Screws.
Finish: Statuary Bronze.



No. 7034 SANCTUARY REFLECTOR

Body Diameter, 8 in.
Height, 24 in.
Extension, 12 in.
Wall Plate, 4¼ in. x 29 in. Over All.
Lights, 2 150-Watt, Mirror Glass Reflectors.
Open Back.
Glass C. R. I. in Bottom Only.
See Interior Construction.



ILLUMINATED CROSS

No.	Length	Width	Depth	Lights
1370	29 in.	18 in.	5 in.	5
1371	38 in.	24 in.	5 in.	6
1372	48 in.	30 in.	5 in.	10

Metal Sides and Back.
Hinged Door for Relamping.
Glass: Amber Opalescent.



Showing Arrangement of Two 200-Watt Mirrored Glass Scoop Reflectors in No. 7034.



No. 7024 SANCTUARY LIGHT

Diameter Over All, 16 in.
Length Over All, 10 ft.
Finish: Rich Gilt.
Glass: 8-Day Ruby Globe.

OPTIONAL FINISHES: SEE SPECIFICATIONS PAGE 16



HEX. BRACKET TYPE

No.	Body Diameter	Height Over All	Extension	Lights
7730	8 in.	24 in.	10 in.	1
7731	10 in.	30 in.	12 in.	1
7732	12 in.	36 in.	14 in.	1



No. 7609 HEX. BRACKET TYPE

Body Diameter, 8 in.
Height Over All, 18 in.
Extension, 10½ in.
Lights, 1.



No. 5304 CYLINDER BRACKET TYPE

Body Diameter, 9 in.
Length Over All, 23 in.
Extension, 12 in.
Back Plate, 4½ in. x 16 in.
Lights, 1.



No. 7039 HEX. BRACKET TYPE

Roof Diameter, 9 in.
Height Over All, 15 in.
Extension, 12 in.
Lights, 1.



No. 7007 HEX. BRACKET TYPE

Body Diameter, 8 in.
Height, 17 in.
Extension, 13 in.
Lights, 1.



No. 7037 HEX. BRACKET TYPE

Roof Diameter, 8 in.
Height Over All, 19½ in.
Back Plate, 4½ in. x 11 in.
Lights, 1.

OPTIONAL FINISHES AND GLASS: SEE SPECIFICATIONS PAGE 16



No. 5070 SQUARE BRACKET TYPE

Body Diameter, 7 in.
Height Over All, 22 in.
Extension, 13½ in.
Back Plate, 4½ in. x 11 in.
Lights, 1.



HEX. BRACKET TYPE

No.	Body Diam.	Length Over All	Extends	Back Plate
5107	8 in.	31 in.	10½ in.	5 in. x 14 in.
5108	10 in.	38 in.	13 in.	5 in. x 16 in.

Lights, 1.



PLAIN CEILING DISH

No.	Glass Diameter	Depth Over All	Lights
4841	8 in.	4½ in.	2
4842	10 in.	4¾ in.	2
4843	12 in.	6¼ in.	2
4844	14 in.	6¾ in.	2

Finish: Satin Nickel.
Glass: Silvaglo.



PLAIN CLOSE-UP TYPE

No.	Glass Size	Length Over All	Lamp Size Watts
4801	8 in. x 4 in.	9½ in.	75-100
4802	10 in. x 4 in.	10⅞ in.	100-150
4805	12 in. x 6 in.	11¼ in.	150-200
4803	14 in. x 6 in.	13¾ in.	200
4803M	14 in. x 6 in.	13¾ in.	300
4804	16 in. x 6 in.	15½ in.	300-500

Finish: Satin Nickel.
Glass: Silvaglo.



CORNER SANCTUARY REFLECTOR

No.	Glass
7150	8 in. Directional Plates.
7151	Pyrametric Diffusing Glass.

Face Diameter, 11 in.
Angle, 8 in. x 8 in.
Depth, 6½ in.
Length, 32 in.
Lights, 3—200-Watt Maximum.

FLUSH TYPE EXIT

No.	Lettter Height	Face Size	Insert Size
722/3	3 in.	11 in. x 5⅝ in.	10¼ in. x 4⅞ in.
722/5	5 in.	14 in. x 8 in.	12½ in. x 6½ in.
722/6	6 in.	14 in. x 9¾ in.	12½ in. x 8¼ in.

Depth, 3 in.
Lights, 1.
Glass: Opal.
Letters: Red, Black or Green.
Finish: Sprayed—Optional.

SURFACE TYPE EXIT

No.	Letter Height	Face Size	Depth	Lights
117/3	3 in.	10 in. x 4½ in.	3 in.	1
117/5	5 in.	12 in. x 6 in.	3 in.	1
117/6	6 in.	12 in. x 7¾ in.	3 in.	1

Glass: Opal.
Letters: Red, Black or Green.
Finish: Sprayed—Optional.



PENDANT CHAIN TYPE

No.	Glass Size	Length Over All	Lamp Size
4815	8 in. x 4 in.	36 in.	75-100 Watts
4816	10 in. x 4 in.	42 in.	100-150 Watts
4819	12 in. x 6 in.	42 in.	150-200 Watts
4817	14 in. x 6 in.	42 in.	200 Watts
4817M	14 in. x 6 in.	42 in.	300 Watts
4818	16 in. x 6 in.	42 in.	300-500 Watts

Finish: Satin Nickel.
Glass: Silvaglo.

OPTIONAL FINISHES: SEE SPECIFICATIONS PAGE 16



No. 7052 POST LANTERN

Lantern Diameter, 10 in.
Post Diameter, 3½ in.
Height Over All, 5 ft.
Lights, 1.

Base: Cast Bronze.
Column: Extruded Bronze.
Lantern: Sheet and Cast Bronze.
Finish: Standard Bronze or Black.
Glass: Optional.

SPECIFICATIONS

STOCK FINISHES

Applied Finishes on Iron or Copper Fixtures:

Antique Gold
Slate Black and Color
Rusty Iron and Color
Burnt Brass
Swedish Iron and Color

Plated Finishes Applicable to Copper, Brass and Bronze Fixtures:

Standard Bronze (Medium)
Statuary Bronze (Dark)
Old Copper
Acid Verde
English Bronze
Colonial Brass

STANDARD GLASSWARE:

Amber Cathedral Acid Etched
Clear Seedy Flint Acid Etched
Amber Seedy Flint Acid Etched
Antique Clear Acid Etched
Antique Amber Acid Etched
White Opal (Granite)
Amber-Opal Cathedral
Amber Moss Acid Etched
Clear Moss Acid Etched

Samples of Glass and Finishes Furnished on Request

Orders involving special finish, size or design cannot be countermanded. Wherever possible use stock glass and finish—saving both time in shipment and cost.

REFLECTORS

Reflectors can be furnished in nave fixtures as per illustrations on Page 7, for mirrored or opal glass reflectors at an additional charge as shown in price list.

General lamping diagram shown on Page 9.

Wiring: All fixtures wired.
Special instructions must accompany your order for two-circuit wiring or on direct or indirect reflectors.

Packing: No extra charge.

Prices: F. O. B. Cleveland, and are subject to change without notice.

Shipping: Unless definite shipping instructions accompany your order we will use our best judgment in routing shipments.

Our Lighting Engineers and Designers Are At Your Service

THE NOVELTY LIGHTING CORPORATION
2480 EAST 22nd STREET - - - - CLEVELAND, OHIO

Also Manufacturers of Residential, Commercial, Built-in Architectural and Directional Signs

AVERY LIBRARY
COLUMBIA UNIVERSITY

5M 8-38